

# Specifications and Models of Micro-cable Fiber Optic Splice Boxes



## Article Overview

Micro-cable fiber optic splice boxes are compact, versatile enclosures designed for splicing and connecting optical fibers, with models supporting 12 to 24 fibers and various adapter types for industrial, ATEX, and space-constrained applications.

### FIMP-M Splice Box

The FIMP-M is a compact splice box measuring 115 x 61 x 113 mm, suitable for both singlemode and multimode fibers (50 $\mu$  and 62.5 $\mu$ ) and supporting up to 12 fiber splices. It accommodates a wide range of couplings, including SMA, ST, SC, LC-Quattro, FC-PC, SC-RJ, and E2000, providing flexibility for different network requirements. The box is designed for moderate fiber connectivity and is ideal for smaller-scale installations or specific networking scenarios. Its durable construction ensures reliability in standard environments .

### FIMP-M-EX Splice Box (ATEX)

The FIMP-M-EX variant is designed for ATEX environments, making it suitable for industrial areas with potentially explosive atmospheres. It features DIN-rail mounting, a stainless steel powder-coated case, and supports up to 12 fibers. Standard configurations include ST, SC, E2000 duplex, or LC-Quattro adapters, with multimode pigtails (62.5/125  $\mu$ m OM1, 50/125  $\mu$ m OM2/OM3). Optional mounting kits for walls or 19" racks are available. The box ensures equipotential bonding via the DIN rail clip and a separate grounding screw to prevent spark discharges ....

## Article Content

Fiber Optic Splice Boxes: Selection Criteria, and Maintenance Best ...

What factors should be considered when selecting a fiber optic splice box? Consider the type of fibers, environmental conditions

Fiber Splice Cassettes Types Prices & Technical Specifications

The splice cassette is removable in order to assemble fiber optics with a splice unit. The front panel can also be removed to splice

Fiber Optic Splice Closures — Dome & Inline, 16-384 Cores

22 models of fiber optic splice closures. Dome type up to 384 cores, inline type up to 288 cores, horizontal and vertical options. IP68

ATEX Fiber Optic Splice Box, FIMP-M-EX

Industrial mini fiber optic splice box for ATEX environment with DIN-rail mounting. The FIMP-M-EX fiber

Fiber Optic Cable and Splice Closure Solutions | Corning

RocketRibbon® Cable and 2178-XL Closures Our Fiber Optic Splice Closure 2178 family is ideal for our

Fibre Termination Boxes indoor | Melbye

Fibre Termination Boxes indoor Termination boxes for fiber optic installations in indoor environments. Designed for all types of cables

FO Splice Boxes in Glass-Fiber Reinforced Polyester

All product-related documents, such as certificates, declarations of conformity, etc., which were issued

Fiber Optic Splice Enclosures | Splice Boxes | Fusing Splicing

Fiber Optic Splice Enclosures are essential components for protecting fiber optic splices and ensuring safe, secure, and organized

FO MICRO Splice Box

Product description FO MICRO Splice Boxes are especially suitable for FO connections within very small space; while meeting the

Fiber Optic Splice Boxes

Fiber Optic Splice Boxes » Fiber optic splice box with front panel for 24 adaptors SC simplex, LC duplex or E2000, 19", adaptors not

Fibre optic cable distribution | Splice boxes | LAPP Online Shop

Our splice boxes are used to securely connect and distribute fibre optic cables by protecting spliced glass fibres from external

MICRO splice box incl. Telekom splice cassette, 1x splice holder ...

Components in the Telegärtner Online-Catalogue: Find MICRO splice box incl. Telekom splice cassette, 1x splice holder,

CommScope FOSC splice boxes | Foss Fiber Optics

Together with our partner, Commscope, we deliver quality splice boxes in the FOSC series. The FOSC-400 series has hot shrinkage

MR398-JB Fiber Optic Junction Boxes

MR398-JB Fiber Optic Environmental Junction Boxes MR398-JB series fiber optic junction boxes are designed to join two fiber optic

Compact FO splice boxes for DIN rails

Future-proof high-speed data transmission: Splice boxes from Phoenix Contact ensure continuously

Micro Splicebox with telecom splice cassette for 12 splices | grey ...

Product information for Micro Splicebox with telecom splice cassette for 12 splices For spliced connection of fiber optic cables

Splice boxes | Phoenix Contact

Splice boxes for future-proof data transmission Splice boxes ensure continuously reliable real-time data transmission. With their

Splice Box and Patch Panel, FIMP-XL-Hybrid

FIMP-XL-Hybrid represents a convergence of two distinct realms in the connectivity landscape: glass fiber and copper cables. This

Splice Box, FIMP-M

With a maximum splicing capacity of 12 fibers, the FIMP-M splice box is suitable for various applications

FO MICRO Splice Box

For quick snap-on mounting on top hat rails - horizontal or vertical - suitable adaptors are available. The

MICRO splice box incl. Telekom splice cassette, 1x splice holder ...

Fiber optic wall boxes and splice boxes by Telegärtner offer a maximum amount of ports using a minimum of space. Based on

## Fibre Optical Splice Box (GRP)

The new BARTEC fibre optical splice box, enables professional and timesaving connection of fibre optical

MICRO splice box incl. splice holder, 4xSC adaptor, pigtails, accessories

Fiber optic wall boxes and splice boxes by Telegärtner offer a maximum amount of ports using a minimum of space. Based on

Fiber Optic Enclosures & Outdoor Splice Closures | Multilink

Gel Dome Enclosures Starfighter Optical Gel Fiber Closures are an “all parts” inclusive hermetically sealed splice enclosures

Fiber Optic Splice Box, FIMP-XLE 62MM

Compact industrial splice box for 48 fibers. DIN-rail mounting. The FIMP-XLE splice box is available with ST, SC, LC-Quattro or

MICRO splice box incl. 4xSC adaptor, accessories

Description of the Series/Product Category Notice: The following information refer to the series/product category as a whole. Please

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.sdesign.net.pl>

Email: [sales@sdesign.net.pl](mailto:sales@sdesign.net.pl)

Phone: +48 694 237 815

Address: ul. Marszałkowska 10, 00-001 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

